



WAYNE COUNTY SWCD FALL 2021 FUNDRAISER



The Wayne County Soil & Water Conservation District is excited about this Fall Fundraiser to help fund educational programs, provide excellent service to the community, and improve the quality of our environment. This year the SWCD is offering a variety of container grown native or not invasive trees and shrubs, kiln dried cedar bird/animal nest boxes & feeders, and 30 & 55 gallon rain barrels.

Please check out the information on each species inside this flyer as well as the expected size of the delivered plant on the order form. If you are interested in a special item please contact us to check on availability and cost. The nursery has a variety of trees in smaller and larger container sizes. The SWCD is also continuing to offer kiln-dried cedar feeders and nestboxes for a variety of wildlife species. These quality items are made by an Ohio business.

**Mail your order as soon as possible as quantities from our suppliers are limited. Any questions or special requests, call the Wayne County SWCD office at:

(765) 966-0191 Ext. 3 from 8:00am—4:30pm Monday through Friday.

You may also leave a message at one of the following e-mails:

kayla.welter@in.nacdnet.net or luanne.holeva@in.nacdnet.net

ORDER DEADLINE: FRIDAY, SEPT 24 @ 12:00PM

Due to this being a Fundraiser we are unable to offer refunds or replacements.

Items not picked up will be donated to a local community project

ORDER PICK-UP INFORMATION

**WAYNE COUNTY SWCD OFFICE/USDA SERVICE CENTER
823 South Round Barn Road; Richmond, Indiana**

THURSDAY, SEPT 31

8:30 AM—3:00 PM

FRIDAY, OCT 1

8:30 AM—3:00 PM

Please contact us if you need to make other arrangements for pick up of your items.

Trees	Height	Crown Width	Growth	Fall color	Site	Other information
Allegheny Serviceberry <i>Amelanchier laevis</i>	15-25 feet	15-25 feet	Moderate	Yellow to red	Variety of sites	Small white flowers in spring, sweet berries turn magenta to purple, attracts birds
American Beech <i>Fagus grandifolia</i>	60-80 feet	40 feet	Slow	Yellow to brown	Moist rich soil, shade tolerant	Smooth grey bark, edible beechnuts favorite of wildlife
American Elm <i>Ulmus americana</i>	Up to 100 feet	30-50 feet	Fast	Yellow	Moist soils	Graceful and vase-like form. Susceptible to Dutch Elm disease from 1930's
American Hornbeam <i>Carpinus caroliniana</i>	20-30 feet	20-30 feet	Slow	Yellow, orange, scarlet	Moist soils below canopy	Smooth bark—has a “muscle” appearance, very hard wood
American Plum <i>Prunus americana</i>	30 feet	Up to 20 feet	Slow	Yellow	Moist soils	Flowers in spring lead to thick red skin edible plum. Root sprouter good erosion control
Bald Cypress <i>Taxodium distichum</i>	50-75 feet	25-35 feet	Fast	Cinnamon	Very wet to drier soils	Loses its needles in the fall, resists decay, wind firm, survives to -30F
Bitternut Hickory <i>Carya Cordiformis</i>	60-80 feet	Up to 50 feet	Fast	Yellow	Variety of sites	Thin husk, thin shelled nut with bitter seeds, unpalatable to most wildlife
Black Cherry <i>Prunus serotina</i>	40-65 feet	35-50 feet	Medium to Fast	Green, yellow, orange	Moist, well drained soil	White flowers, small clustered red to purple berries, fruit eaten by wildlife
Black Gum (Black Tupelo) <i>Nyssa sylvatica</i>	50-60 feet	20-30 feet	Slow	Yellow to orange to red/purple	Variety of sites	Wood strong & tough. Fruits on female trees ripen in fall & eaten by birds
Black Oak <i>Quercus velutina</i>	50-100 feet	50-60 feet	Fast on good soils	Dull red to brown	Dry to well drained	Small acorns carried & eaten by birds
Black Walnut <i>Juglans nigra</i>	75-100 feet	75-100 feet	Fast	Yellow to brown (fall early)	Moist well-drained soil	Prized chocolate colored wood for wood products. Produces husked fruit—nut inside edible
Black Willow <i>Salix nigra</i>	30-60 feet	30-60 feet	Fast	yellow	Moist soil, stream banks	Good for stream bank stabilization
Bur Oak <i>Quercus macrocarpa</i>	60-80 feet	70-80 feet	Medium	Red	Tolerant of many soils	Resistant to drought. Planted as shade and ornamental tree.
Canadian Hemlock <i>Tsuga canadensis</i>	40-70 feet	23-35 feet	Moderate	Evergreen	Moist, well drained	Dark green needles, pyramidal shape, delicate/lacy feel
Chestnut Oak <i>Quercus prinus</i>	Up to 60 feet	Up to 50 feet	Slow-medium	Yellow	Moist, well drained	This tree can be found growing on poor, rocky, dry soils. Also known as Rock Chestnut Oak
Cherrybark Oak <i>Quercus pagoda</i>	60-100 feet	30-70 feet	Medium to fast	Yellow to copper to brown	Moist, well drained bottomland	This is more a southern Indiana tree. The small acorns are an important food source for birds and mammals
Chinquapin Oak <i>Quercus muehlenbergii</i>	50-80 feet	50-60 feet	Slow	Yellow-brown	Variety of sites	Acorns provide food for a variety of wildlife

Trees	Height	Crown Width	Growth	Fall color	Site	Other information
Chokecherry <i>Prunus virginiana</i>	20-30 feet	10-25 feet	Moderate	Reddish-purple	Variety of well drained soils	Wildlife eats berries, poisonous to humans unless processed. This tree may sucker
Cockspur Hawthorn <i>Crataegus crus-galli</i>	20-35 feet	20-35 feet	Medium	Orange-scarlet-purple	Medium- well drained soils	Has large thorns. In May white flowers bloom, deep red fruits in the fall, attracts birds and butterflies, tolerates drought and clay soils
Common Ninebark <i>Physocarpus opulifolius</i>	4-10 feet	6-10 feet single to many stems	Medium	Yellow to bronze	Variety, prefers moist	May-June cluster of white flowers & red anthers, old bark exfoliates in long, thin strips
Cottonwood <i>Populus deltoides</i>	Up to 100 feet	40-75 feet	Very Fast	Yellow-gray or pale brown	Wet soils	Seeds with cottony hairs appear in spring from female tree, seeds float in air/water
Downy Hawthorn <i>Crataegus mollis</i>	20-30 feet	Up to 25 feet	Moderate	Yellow-bronze red	Moist-well drained soils	Small, white flowers in spring, red fruit in fall, has thorns
Eastern Red Cedar <i>Juniper virginiana</i>	35-50 feet	20 feet	Medium	Evergreen	Wet to dry soils	Pointed scaled needles, Good for use as windbreaks
Hackberry <i>Celtis occidentalis</i>	30-60 feet	40-50 feet	Fast	Yellow	Variety of sites	Crown may develop "witches brooms" which is characteristic. Small berries eaten by wildlife.
Hop Hornbeam <i>Ostrya virginiana</i>	25-40 feet	20-30 feet	Slow	Yellow	Moist soils below canopy	Commonly called Ironwood due to extremely dense-hard wood
Hoptree (Water Ash) <i>Ptelea trifoliata</i>	15-20 feet	15-20 feet	Medium	Greenish-yellow	Sun-shade, dry to moist soils	Dark green shiny leaves eaten by caterpillars of Giant & Eastern Tiger Swallowtails
Hybrid Chestnut <i>Castanea dentate x mollissima</i>	40-60 feet	40-60 feet	Slow to Medium	Yellow-brown	Moist, upland soil	Cross between an American and Chinese chestnuts, blight resistant and large, sweet nuts
Mockernut <i>Carya tomentosa</i>	60-80 feet	40-60 feet	Slow	Yellow	Full to part sun Rich well drained soils	Edible nuts enjoyed by a variety of mammals
Northern Catalpa <i>Catalpa speciosa</i>	40-70 feet	20-50 feet	Fast	Yellow	Variety of sites	Large heart-shaped leaves, showy white flowers, long green seed pod
Northern Pecan <i>Carya illinoensis</i>	75-100 feet	40-70 feet	Medium	Yellow	Moist well drained soils	Edible nuts, also known as Sweet Pecan
Northern White Cedar <i>Thuja occidentalis</i>	40-50 feet	1-3 feet	Slow	Evergreen	Wet to moist soils	Flat scaled needles, conical to pyramid shaped crown Good for use as windbreaks
Norway Spruce <i>Picea abies</i>	40-60 feet	30-35 feet	Fast	Evergreen	Variety of sites	Characteristic drooping, upturned branches, resilient species, deer avoid eating.
Ohio Buckeye <i>Aesculus glabra</i>	30-60 feet	20-40 feet	Fast	Yellow - brown	Moist to drier soils	State tree of Ohio; seeds, young foliage, and bark are poisonous

Trees	Height	Crown Width	Growth	Fall color	Site	Other information
Overcup Oak <i>Quercus lyrata</i>	40-60 feet	40-60 feet	Medium	Yellow-brown	Full sun Moist soils	Named due to acorn cap covering 2/3 of the nut. Enjoyed by squirrels, turkeys,
Pagoda Dogwood <i>Cornus alternifolia</i>	25-30 feet	15-30 feet	Medium	Reddish	Moist, well drained soil	Small white flowers in clusters, blue-black fruit. Also known as Alternate leaf dogwood.
Paw Paw <i>Asimina triloba</i>	15-20 feet	15-20 feet	Medium-Fast	Yellow	Moist soils/ understory	Small tree or shrub, known as the Indiana banana
Peachleaf Willow <i>Salix amygdaloides</i>	30-50 feet	25-35 feet	Fast— short lived	Yellow	Sun-shade Moist to wet soils	Nesting for birds, attracts bees and butterflies, viceroy butterfly caterpillars feed on leaves
Persimmon <i>Diospyros virginiana</i>	35-60 feet	20-35 feet	Slow to Medium	Yellow-red	Moist to dry soils	Female tree produces a 2-inch orange fruit when ripe enjoyed by man and wildlife
Pignut Hickory <i>Carya glabra</i>	50-60 feet	20-30 feet	Slow	Yellow	Dry to moist uplands	Thin husk, thick shell hickory nut, sweet to bitter in taste, eaten by wildlife.
Pin Oak <i>Quercus palustris</i>	70-80 feet	40-50 feet	Fast	Red	Wet - better drained soils, needs acidic soils	Upward top branches, middle horizontal branches, downward lower branches
Pussy Willow <i>Salix discolor</i>	6-15 feet	4-12 feet	Fast, short-lived	Greenish-yellow	Sunny, moist site	Male plant flowers are the showy "pussy willow" flowers seen in February to April. Suckers
Quaking Aspen <i>Populus tremuloides</i>	20-50 feet	10-30 feet	Fast	Stunning Yellow	Moist, well drained soils	Slightest breeze cause leaves to tremble/quake. Root sprouts create cluster of trees
Redbud <i>Cercis canadensis</i>	15-30 feet	25-35 feet	Medium-Fast	Yellow	Moist soil	Pink/red flowers in spring Drought tolerant. Available as single stem or multi-stem
Red Maple <i>Acer rubrum</i>	40-60 feet	40 feet	Fast	Red	Wet or dry soils	Subject to Verticillium Wilt. Not the King Crimson Maple (which is an invasive tree)
Red Oak <i>Quercus rubra</i>	60-80 feet	60-75 feet	Fast	Red	Varied/well drained soil	Popular shade and street tree. Hardy in city conditions.
River Birch <i>Betula nigra</i>	40-80 feet	40-60 feet	Fast	Yellow	Moist soil/ stream banks	Salmon pink papery bark. Available as single stem or multi-stem (clumped)
Scarlet Oak <i>Quercus coccinea</i>	Up to 70 feet	Up to 50 feet	Medium-fast	Bright to russet reds	Dry to moist acidic soils	Will not tolerate alkaline soils. Retains leaves through the winter.
Shadblow Serviceberry <i>Amelanchier canadensis</i>	25-30 feet	15-20 feet	Moderate	Yellow-gold	Varied/well drained soil	Showy-white flowers become mature purple edible berries

Trees	Height	Crown Width	Growth	Fall color	Site	Other information
Shagbark Hickory <i>Carya ovata</i>	70-80 feet	30-40 feet	Slow (fastest hickory)	Yellow to brown	Variety of sites	Plates of bark give it shaggy appearance. Large, woody husked nuts are edible (sweet)
Shellbark Hickory <i>Carya laciniosa</i>	70-100 feet	30 feet	Slow	yellow	Wet soil and river banks	Shaggy bark/similar to shagbark hickory. Has the largest hickory nuts
Shingle Oak <i>Quercus imbricaria</i>	50-60 feet	50-60 feet	Medium-Fast	Yellow to brown	Well drained loam to clay	Oblong shaped leaf, used to make shingles by pioneers
Shumard Oak <i>Quercus shumardii</i>	50-60 feet	40-60 feet	Medium-Fast	Red	Moist to dry soils	Very Similar to Red Oak, Handsome shade tree.
Silver Maple <i>Acer saccharinum</i>	50-70 feet	30-50 feet	Fast	Yellow-brown	Variety of sites	Susceptible to wind damage, keep from sewer/water lines
Speckled Alder <i>Alnus rugosa</i>	15-25 feet	25-35 feet	Fast	Yellow to brown	Wet to a variety	Root nodules support nitrogen-fixing bacteria
Sugar Maple <i>Acer saccharum</i>	40-80 feet	30-60 feet	Slow	Red, orange, yellow	Moist, well drained soils	Source of maple syrup and furniture woods. Winged seeds drop in fall
Swamp Chestnut Oak <i>Quercus michauxii</i>	60-100 feet	40-60 feet	Moderate	Red	Moist, well drained soils	Does not like wet areas, makes nice shade tree
Swamp White Oak <i>Quercus bicolor</i>	50-70 feet	50-60 feet	Medium-Fast	Yellow to brown	Wet to drier soils	Drought tolerant, leaf top dark green/underneath more white
Sweetgum <i>Liquidambar styraciflua</i>	65-80 feet	40-60 feet	Medium-Fast	Yellow Red Purple	Variety of sites	Star-shaped leaves, Spiny "gum ball" seeds
Sycamore <i>Platanus occidentalis</i>	70-90 feet	60-80 feet	Fast	Yellow - brown	Wet soil, river banks	Brown and white mottled bark, can get anthracnose
Tulip Poplar—State Tree <i>Liriodendron tulipifera</i>	70-100 feet	20-40 feet	Fast	Yellow	Well drained soils	Indiana state tree, tends to grow a straight trunk
White Oak <i>Quercus alba</i>	50-80 feet	50-80 feet	Slow-medium	Red to brown	Moist, well-drained soils	May retain leaves through winter, Wildlife eat acorns
White Pine <i>Pinus strobus</i>	50-75 feet	20-40 feet	Fast after 2nd year	Evergreen	Variety	"Soft-needle pine" with 5 needles per bundle
White Spruce <i>Picea glauca</i>	40-60 feet	10-20 feet	Slow-medium	Evergreen	Moist, well drained soils	Seeds eaten by birds and squirrels, pyramid shape
Willow Oak <i>Quercus phellos</i>	40-75 feet	25-50 feet	Medium to fast	Yellow-brown	Moist, well drained soils,	Willow-like leaves. Tolerates, wet soils, clay soils, and air pollution.
Yellow Birch <i>Betula alleghaniensis</i>	60-75 feet	35-50 feet	Medium	Bright gold and yellow	Variety	Bark is shiny yellow to gray-silver that splits into curly strips and becomes reddish brown with age
Yellow Buckeye <i>Aesculus flava</i>	60-75 feet	30 feet	Medium	Pumpkin Orange	Variety of moist soils	Yellow erect blossoms in spring Seed not used as food source
Yellowwood <i>Cladrastis lutea</i>	30-50 feet	40-55 feet	Medium	Clear yellow	Moist, well drained	Clusters of white pea-like fragrant flowers in the spring.

Shrubs	Height	Spread	Growth	Fall color	Site	Other information
Arrowwood Viburnum <i>Viburnum dentatum</i>	5-15 feet	6-15 feet	Fast	Red	Wet or dry soils	Tiny spring flowers, bushy look, blue-purple fruits in summer
Black Chokeberry <i>Aronia melanocarpa</i>	3-6 feet	3-5 feet single to many stems	Slow	Yellow to orange to red	Variety	Clusters of white flowers March to July, bluish-black berries in clusters up to 10, Aug to Nov
Blackhaw Viburnum <i>Viburnum prunifolium</i>	8-12 feet	8-12 feet	Slow to medium	Bright red to purple	Well drained soils	White flat-top flower clusters Wildlife eat blue-black fruits
Bottlebrush Buckeye <i>Aesculus parviflora</i>	8-12 feet	8-15 feet	Slow	Yellow	Partial-full shade, rich moist soils	Spectacular white blooms, attracts butterflies, multi-stem and may sucker
Buttonbush <i>Cephalanthus occidentalis</i>	3-9 feet	4-8 feet	Fast	Red	Wet soils	Balls of white flowers, bushy in appearance
Common Witchhazel <i>Hamamelis virginiana</i>	15-20 feet	15-20 feet	Fast	Yellow	Moist soils in understory	Threadlike yellow, fragrant flowers in fall
Coralberry <i>Symphoricarpos orbiculatus</i>	2-5 feet	4-8 feet	Fast	Yellow-green	Variety of soils	Greenish-yellow blooms in spring, purplish-red berries persist in fall for birds
Elderberry <i>Sambucus canadensis</i>	5-13 feet	6-10 feet	Fast	Yellow—not showy	Wet soils	Flat topped clusters of white flowers, Sweet, edible purplish-black berry
Fragrant Sumac <i>Rhus aromatica</i>	2-6 feet	6-10 feet low growing rambling	Slow to medium	Orange-red to purple	Acidic well drained soil	Red hairy drupe on female plants. Drought tolerant. Suckers to form colonies.
Grey Dogwood <i>Cornus racemose</i>	10-15 feet	10-15 feet multi stems	Medium Fast	Purplish-red	Wet or dry soils	Greenish white flower clusters, white fruit on red stems
Hazelnut <i>Corylus americana</i>	10-15 feet	8-13 feet multi stems	Medium to fast	Dull yellow/red-brown	Variety of soils	Nut also known as a filbert, eaten by humans and wildlife. Male/female plants
Indigo Bush <i>Amorpha fruticosa</i>	6-10 feet	10-15 feet multi-stem	Medium	Yellow	Variety of sites and soils	Small dark blue/purple flowers on spike, yellow anthers April-June or butterflies. Poisonous to livestock.
Lead Plant <i>Amorpha canescens</i>	2-3 feet	2-2.5 feet	Slow	Green with white hairs appears gray	Dry-medium well drained soils	Blue-purple blooms on spikes during mid-summer, attracts butterflies and bees

Shrubs	Height	Spread	Growth	Fall color	Site	Other information
Meadowsweet <i>Spireae alba</i>	2-6 feet	3-4 feet	Medium	None	Full sun, wet to moist site	White flowers mid-late summer Attracts bees, butterflies & moths
New Jersey Tea <i>Ceanothus americanus</i>	3-4 feet	3 to 5 feet	Medium	Yellow-tan	Variety of soils	White flowers attracts butterflies and hummingbirds
Pasture Rose <i>Rosa carolina</i>	3-6 feet	5-8 feet	Fast, short-lived	Dull red, red hips in fall	Medium-wet well drained soils	2 inch single rose pink flower, has thorns, often spreads by suckers, pollinator plant
Red Chokeberry <i>Aronia arbutifolia</i>	6-8 feet	3-4 feet	Fast	Red	Wet or dry soils	White flowers in spring, red berries into winter
Red Osier Dogwood <i>Cornus sericea</i>	6-10 feet	5-10 feet multi stems	Fast	Purplish-red	Moist soil, riparian	Flowers small white clusters, fall white fruits , twigs bright
Roughleaf Dogwood <i>Cornus drummondii</i>	15-25 feet	10-15 feet	Fast	Purplish-red	Variety of sites and soils	Flatt-topped clusters of whitish flowers April-June for butterflies. Birds feed on white fruit in fall.
Sandbar Willow <i>Salix interior</i>	5-10 feet	5-10 feet	Moderate	Yellow	Consistently moist soil	Found along lake & river banks, aggressive underground roots and shoots, used by a variety of wildlife
Silky Dogwood <i>Cornus amomum</i>	6-10 feet	6-12 feet	Fast	Red	Wet or dry soils	Clusters of delicate white flowers, dark berries, red twigs, spreading
Smooth Hydrangea <i>Hydrangea arborescens</i>	3-6 feet	3 to 5 feet	Medium to Fast	Yellow	Moist, well drained	White blooms June to September
Smooth Sumac <i>Rhus glabra</i>	10-15 feet	10-15 feet	Fast	Yellow, orange-red-purple	Moist	Red drupes on terminal panicles in winter. Spreads by suckering.
Spicebush <i>Lindera benzoin</i>	9-10 feet	Multi-stemmed shrub	Slow	Golden-yellow	Moist soils and along streams	Crushed leaves smell of lemon Separate male & female plants Both needed to produce fruit
Staghorn Sumac <i>Rhus typhina</i>	15-25 feet	15-25 feet	Fast	Yellow to red	Variety of sites	Grows in colonies, spreads by suckers. Does not tolerate shade or wet soils.
Steeplebush <i>Spiraea alba</i>	2-4 feet	3-5 feet	Medium	None	Full sun Wet to moist	Flowers pink in mid-summer—early fall. Dies back in winter. Suckers
Swamp Rose <i>Rosa palustris</i>	3-8 feet	6-7 feet	Medium	Dull red, red hips in fall	Wet to Moist soils	Pale pink flowers—sweet fragrance Attracts pollinators, birds eat rose hips in fall
Winterberry <i>Ilex verticillata</i> (male/female not known)	3-12 feet	3-12 feet	Fast	Yellow	Wet or dry soils	Small white flowers, red berries on female bush,

Bird/Animal Boxes	Site	Opening	Size in inches W x D x H	Other information
Standard Eastern Bluebird Nestbox/ Roost Box	Open areas with scattered trees	1.5 inch	7 x 10 x 12 inside 5 x 4.5 x 10	Predator guard, ventilation & drainage, easy open front to clean
Classic Eastern Bluebird Nestbox	Open areas with scattered trees	1.5 inch	7 x 10 x 12 inside 5 x 4.5 x 10	Routed edges, door opens down, ventilation & drainage, predator guard
Classic Eastern Bluebird Nestbox with vents	Open areas with scattered trees	1.5 inch	7 x 10 x 12 inside 5 x 4.5 x 10	Routed edges, door opens down, ventilation & drainage, predator guard
Slanted Bluebird Nestbox	Open areas with scattered trees	1.5 inch	7 x 13 x 20	Routed edges, door opens down, ventilation & drainage
Viewing Eastern Bluebird Nestbox	Open areas with scattered trees	1.5 inch	12 x 9 x 13.5	Routed edges, side door opens down, polycarbonate viewing window
Robin/Phoebe Nestbox	Backyards, gardens, woodlands	8 x 5 inch front 3.5 inch side	12 x 9 x 8.75 inside 8 x 6 x 7	Covered open shelf appearance with side openings as well.
Wren/Chickadee Nestbox (Mounting)	Backyards, brushy fields, edges	1.125 inch	5.5 x 7 x 11 inside 3.5 x 3.5 x 8.5	Door opens up for easy cleaning, ventilation and drainage
Hanging Wren Nestbox	Backyards, brushy fields, edges	1.125 inch	5.5 x 7 x 7.75 inside 3.5 x 3.5 x 5.75	Metal chain and "S" hook included, front opens up for cleaning, ventilation & drainage
Hanging Chickadee / Wren Nestbox Beveled Roof Style	Backyards, brushy fields, edges	1.25 inch	9 x 7.5 x 10	Routed edges, side door opens for easy cleaning, ventilation and drainage.
Hanging Wren V Nestbox	Backyards, brushy fields, edges	1.125 inch	8.5 x 8 x 7	Routed edges, sides open for easy cleaning, ventilation and drainage.
Downy Woodpecker Nestbox	Wooded area	1.5 inch	7 x 10.25 x 13.75 inside 5 x 4.5 x 12	Door opens down, predator guard, ventilation & drainage.
Woodpecker Nestbox	Wooded areas, 8 to 20 feet high	2 inch	8.25 x 10.5 x 16 inside 6 x 5.5 x 14	Door opens down for cleaning. Used by hairy, red headed, red bellied, & great crested flycatcher .Predator guard, ventilation, drainage
Northern Flicker Nestbox	Farmland or open country	2.5 inch	10 x 13 x 21 inside 7 x 7.5 x 18	Door opens up for cleaning, predator guard, ventilation & drainage
Screech Owl/ Kestrel Nestbox	Farmland, orchards, woods	3 inch	10.5 x 12.5 x 20.5 inside 8 x 8.25 x 18	Door opens up for cleaning, predator guard, ventilation & drainage
Wood Duck Nestbox	Wood swamps or bottom lands, above/near water	4 x 3 inch oval	11 x 14 x 29 inside 9 x 9.25 x 22.5	Side door opens up for cleaning, bottom ventilation and drainage
Barn Owl Nestbox	Near open fields or meadows	6 inch	13.5 x 22 x 20 inside 9.5 x 18 x 18	Sides open for easy clean out
1-Chamber Bat House	Eave of barn or 15 ft high, in sun	.75 inch	10 x 4 x 16	Grooved landing pad for easy landing & grooved inside chamber walls.
2-Chamber Bat House	Eave of barn or 15 ft high, in sun	.75 inch	9.25 x 4.25 x 18	Grooved landing pad for easy landing & grooved inside chamber walls.
3-Chamber Bat House	Eave of barn or 15 ft high, in sun	.75 inch	12 x 5.5 x 28	Grooved landing pad for easy landing, air vents, top joints sealed for warmth, & grooved inside chamber walls.
Butterfly House	Sunny butterfly flower gardens	.5 inch x 4 inch	9 x 9 x 22.75	Removable top for cleaning and monitoring, and drainage
Squirrel House	Variety of sites	3 inch	9.5 x 11 x 21.5	Door opens up for cleaning, inside lounging shelf, 2 entrance/exit holes, & drainage
Wren Nestbox Kit	Backyards, brushy fields, edges	1.125 inch	5.5 x 7 x 7.75 assembled	Comes unassembled, stainless steel screws included. Routed edges, door opens down

Feeders	Size in inches	Seed capacity	Additional information
#3 Hanging Corner Feeder	9 x 9.25 x 9.5	Holds 3 pounds of seed	Has slide out removable aluminum screen bottom for easy cleaning and drainage.
#6 Double Corner Feeder Hanging or Post Mount— redesigned	15 x 9.5 x 9.5	2 hoppers hold 3 pounds of seed in each	Has 6 feeding stations. Has slide out removable aluminum screen bottom for easy cleaning and drainage.
#7 Hanging or Post Mount Corner Feeder	12 x 12 x 12	Holds 7 pounds of seed	Has slide out removable aluminum screen bottom for easy cleaning and drainage.
#11 Post Mount Corner Feeder	13 x 13 x 14.25	Holds 11 pounds of seed	Has slide out removable aluminum screen bottom for easy cleaning and drainage.
#5 Tall Hanging Corner Feeder	9 x 9 x 15.5	Holds 5 pounds or 4 quarts mixed seed	Has slide out removable aluminum screen bottom for easy cleaning and drainage.
#4 Tall Hanging Corner Sunflower/Peanut Pieces	9 x 9 x 15.5	Holds 3.5 pounds or 4 quarts sunflower seeds	Has slide out removable aluminum screen bottom for easy cleaning and drainage.
#10 Tall Post Mount Corner Feeder	12 x 12 x 19.5	Holds 10 pounds or 9 quarts mixed seed	Has slide out removable aluminum screen bottom for easy cleaning and drainage.
#3 Hanging Bird Feeder	9 x 9.25 x 9.5	Holds 3 pounds of seed	Has slide out removable aluminum screen bottom for easy cleaning and drainage.
#5 Hanging Bird Feeder	12 x 9 x 11.5	Holds 5 pounds of seed	Has slide out removable aluminum screen bottom for easy cleaning and drainage.
#5 Hanging Bird Feeder with Stainless Suet Holders	12 x 9 x 11.5	Holds 5 pounds of seed & 2 suet cakes	Has slide out removable aluminum screen bottom for easy cleaning and drainage.
#8 Hanging Bird Feeder	15 x 11.5 x 13.5	Holds 8 pounds of seed	Can be hung or post mounted. Has slide out removable aluminum screen bottom for easy cleaning and drainage.
#8 Hanging Feeder with Stainless Suet Holders	15 x 11.5 x 13.5	Holds 8 pounds of seed & 2 suet cakes	Can be hung or post mounted. Has slide out removable aluminum screen bottom for easy cleaning and drainage.
Fly-In Feeder	15 x 12 x 13.25	Varies with seed type	Can be hung or post mounted. Has slide out removable aluminum screen bottom for easy cleaning and drainage.
Fly-In V Feeder with Hoppers	15 x 12 x 13	Holds 2 pounds of seed	V feeders have removable clear plastic seed holders. Seed holders pull out to clean and slide up and down to adjust seed flow.
Bluebird Feeder	14 x 9.5 x 9.5	Plastic guard prevents meal worm escape	Has clear acrylic sides for easy viewing. Inside perches, can be hanging or post mounted. Wood bottom does not open.
Ground Platform Feeder	14.5 x 11.75 x 7.25 with legs	Varies with seed type	Has removable aluminum screen bottom for easy cleaning and drainage.
Hexagon Ground Feeder	14 x 16 x 7 with legs	Varies with seed type	Has removable aluminum screen bottom for easy cleaning and drainage.
Hanging Platform Feeder	14.5 x 12 x 2.25	Varies with seed type	Has removable aluminum screen bottom for easy cleaning and drainage.
Hanging Hexagon Feeder	14 x 16 x 3	Varies with seed type	Has removable aluminum screen bottom for easy cleaning and drainage.
Mounting Platform Feeder	14.5 x 12.75 x 2.25	Varies with seed type	Has removable aluminum screen bottom for easy cleaning and drainage.
Small Sunflower Feeder	6 x 6 x 16.75	Holds 1.25 pounds of sunflower seeds	Wood bottom does not open.

Feeders	Size in inches	Seed capacity	Additional information
Large Sunflower/Peanut Pieces Feeder	8 x 7.75 x 19	Holds 3 pounds of seed	Wood bottom does not open.
Double Sunflower/Peanut Pieces Feeder	12 x 7.25 x 19	Black oil sunflower seed & peanut pieces Holds 6 pounds of seed	Two feeders in allows for sunflower & peanut pieces to be separate. Wood bottom does not open.
Thistle Bird Feeder	7 x 9 x 17.75	Holds 2 pounds of seed	Has slide out removable aluminum screen bottom for easy cleaning and drainage.
Double Dine & Drink Feeder	24 x 11.75 x 13.5	2 seed hoppers hold 8 pounds of seed each	Has removable stainless steel dish for water or treats. Has slide out removable aluminum screen bottom for easy cleaning & drainage.
Oriole Feeder	14 x 8.75 x 9.75	2 orange slices and 6 ounces of jelly	Plastic pegs (2) for orange slices. Removable 6 oz dish for jelly. Orange Trap-It Ant Trap.
Multi Feeder	23 x 15 x 16	Holds 17 pounds of seed, has 2 end hoppers for sunflowers /peanut pieces	Has slide out removable aluminum screen bottom for easy cleaning and drainage.
The Big 30	21 x 19 x 18.5	Holds 30 pounds of seed	Has slide out removable aluminum screen bottom for easy cleaning and drainage.
Combo V Feeder (Post Mount)	13 x 9 x 18	Holds 3 lbs sunflower seeds in center seed diverter and holds 1 pound seed per side	V feeder tubes on sides hold various seeds. Center seed diverter holds sunflower seeds.
Woodpecker Peanut Feeder with Stainless Suet	12 x 7 x 15	Holds 1 pound of peanuts and has two suet holders	Wood bottom does not open.
Single Cake Upside Down Suet Feeder	8 x 9.25 x 4.5	Holds one suet cake	Hangs. Top opens by hinge.
Double Cake Upside Down Suet Feeder	13 x 9.5 x 4.5	Holds two suet cakes	Hangs. Top opens by hinge.
Squirrel Dine-In Feeder	14 x 7.5 x 8	Varies with seed type	Has clear acrylic side for easy viewing. Entrance holes on each end are 3.5 inches.
Squirrel Munch Box	7.25 x 13 x 9.25	Holds 2 pounds of squirrel feed.	Top hinged for easy opening, Clear acrylic plastic front. Wood bottom does not open.
Squirrel Pinwheel	13 x 8.75 x 12	Holds 4 ears of corn	Screws create 4 inch pins to hold corn.
Squirrel Table & Chair	3.25 x 11 x 12	Holds 1 ear of corn.	Galvanized nail creates 4 inch pin to hold corn.
Squirrel Table & Double Chair	19.75 X 9.5 X 14	Holds 1 ear of corn.	Galvanized nail creates 4 inch pin to hold corn.
Squirrel Teeter Totter	16 x 7 x 12	Holds 1 ear of corn.	Hinge allows for the teeter totter movement



Additional items	Size	Additional information
Post Mount	8.25 x 5.25 x 4.25 - inches	Kiln dried cedar with stainless steel screws
Post	3.5 x 3.5 x ** - inches	58, or 71 inch kiln dried cedar posts with stainless steel screws
Flower Pot Holder with Roof	14W x 12D x 22H—inches	<i>(flowers and pot not included)</i>
Flower Pot Holder with Legs	12W x 12D x 18H—inches	<i>(flowers and pot not included)</i>
30 or 55 Gallon Rain Barrel	Comes with accordion downspout for attachment to gutter or spout	Nylon screen easy to remove and clean as needed.

For each item you purchase your name will be entered into a drawing for one of the following three options of your choice:

- **2 Wayne County Soil & Water Conservation District Annual Meeting tickets (January 31st)**

OR

- **1 rain barrel complete with downspout for attachment**

OR

- **1 of the 3-gallon trees or shrubs listed in this brochure (based on availability)**

OR

- **A cedar nestbox or feeder:**

Small Sunflower Feeder with perches
 Single Cake Upside Down Suet Feeder
 Double Cake Upside Down Suet Feeder
 Squirrel Dine-In Feeder
 Squirrel Munch Box
 Squirrel Pinwheel
 Squirrel Table & Chair
 Squirrel Teeter Totter

1 Chamber Bat House
 Standard Eastern Bluebird Nest/Roost Box
 Classic Eastern Bluebird Nestbox
 Robin/Phoebe Nestbox
 Wren/Chickadee Nestbox (mounting)
 Hanging Wren Nestbox
 Hanging Chickadee/Wren-Beveled Roof
 Hanging Wren V Box
 (2) Wren Nestbox Kits

Winner will be drawn on Friday, September 17th at Noon so that winner can be contacted and order placed by deadline.



Wayne County Soil and Water
Conservation District
823 South Round Barn Rd, Suite 1
Richmond IN 47374-4717

FALL 2021 FUNDRAISER

Order now for September 30th & October 1st Pickup



Trees & Shrubs

Bird & Animal Nestboxes

Bird & Animal Feeders

Order deadline Friday, September 24th at 12:00PM